



Government Of Maharashtra

Shri Bhausaheb Hire Govt. Medical College, Dhule

U.P.C.

QUOTATION

DUE DATE : 24/07/2025

SBHGMCD/Chemical Store /Chemical & Reagents/ 7/10/2025

Phone- 02562 239407

Date:- 16/07/2025

Fax No. 02562 239207

To,

Open Notice

Sub:- Quotation for the supply of Chemicals kits, Glasswear & Reagents (Open Quotation)

अधिष्ठाता श्री. भाऊसाहेब हिरे शासकीय वैद्यकीय महाविद्यालय, धुळे हे खालील तक्त्यात नमुद करण्यात आलेल्या बाबींची खरेदी करण्याकामी शिघ्र दरपत्रके (Short Quotation) मागवित आहेत. तरी इच्छुक पुरवठाधारकांनी आपली दरपत्रके दोन सिलबंद लिफाफ्यात खालीलप्रमाणे सादर करवीत.

1. One envelope Attached is as per Terms and condition document . (1 Technical Document Involep)

2. Quoted rate with include GST rate as per quotation Items. Quote this office reference of the top of the envelope with due date. (2 Finicial Involep)

3. तसेच 1. Technical Document Involep व 2. Finicial Involep हे दोन्ही लिफाफे हे एकाच लिफाफ्यात कार्यालयाच्या आवक शाखेत दिलेल्या अटी व शर्तीस अधिन राहुन विहित मुदतीत सादर करावी.

You are requested to submit your lowest bid for Chemicals kits, Glasswear & Reagents items the quotation should be reach this office in sealed envelope or before 24/07/2025 until 5:00 PM. Quotation requirement is also published on and Shri Bhausaheb Hire government medical college, Dhule.

The Dean Shri Bhausaheb Hire government medical college, Dhule reserve the right to accept, Recall OR Reject any or all Quotations without assigning any reason Other instruction and trem and condition regarding quotation are mentioned below the Chemicals kits, Glasswear & Reagents items.

| Sr. No. | Name of Item | Specifications |
|---------|---|---|
| 1 | Field stain A solution | 500 ml per Bottle |
| 2 | Field stain B solution | 500 ml per Bottle |
| 3 | Cell counter paper roll | Size 50 mm per roll |
| 4 | Uniplastin reagents | 5 ml per vial |
| 5 | Diluent mindray BC20s | Diluent Mindray BC20s 20 liter per pack |
| 6 | Lyse 3 part mindray BC20s | Lyse 3 part mindray BC20s 200ml per pack |
| 7 | Alkaline Phosphate | 1ml - kinetic method, Lyophilised , Linearity More Than 1800U/L |
| 8 | C- Reactive Protein (CRP) | 1ML- turbidimetry |
| 9 | Uric acid | 1ml- Uricase Method Linerarity up to 18 Mg/DL |
| 10 | Serum Glutamate Pyruvate Transaminase SGPT (IFCC Enzymatic) | 1ml - kinetic method, Lyophilised , Linearity More Than 380 IU/L 100ml bottle |
| 11 | Cholesterol | 1ml - CHOD - POD Method Linerarity up to 1000 Mg/DL |
| 12 | Triglycerides | 1ml - TPO-GPO Method Linerarity up to 1000 Mg/DL |
| 13 | Amylase | 1ml Kinetic method Linerarity up to 1800 IU/L |
| 14 | Cholinesterase | 1ml - Butyrylthiocholine Method Linerarity up to 1800 IU/L |
| 15 | Glucose | 1ml - GOD / POD Method End point Linerarity up to 1000 IU/L |
| 16 | Normal control sera | 1ml - Control sera for serum biochemistry parameters |
| 17 | Electrolyte snap pack | Packing size 1100 ml per pack |
| 18 | Electrolyte daily cleaning | Packing size 6X15 ml per kit |
| 19 | ABG snap pack | 1000 ml Snap pack for ABG Blood gas Analyzer |
| 20 | Multi calibrator | 1ml - Calibrator for serum biochemistry parameters |
| 21 | Calcium | 1ml - Arsenazzo method end point Linerarity up to 20 Mg/DL |
| 22 | Creatine PhosphoKinase (MB) (CPK-MB) | 1 ml - Kinetic method, linerity up to 200 IU/Liter |
| 23 | Urea (GLDH) | 1 ML - Kinetic method Linearity more than 200 Mg/DL |
| 24 | Serum Glutamate Oxaloacetate Transaminase SGOT (IFCC Enzymatic) | 1ml - kinetic method, Lyophilised , Linearity More Than 380 IU/L 100ml bottle |

Amahale

Amahale

Amahale

Amahale



| Sr. No. | Name of Item | Specifications |
|---------|---|--|
| 25 | Bilirubin Total | 1 ml- Diazo method end point method |
| 26 | HDL cholesterol | 1 ml - End point method Ready to use |
| 27 | Lipase | 1ml - Kinetic method Linearity up to 1800 IU/L |
| 28 | LDH | 1 ml - End point method Ready to use |
| 29 | Ferritin | 1ml - Turbidimetric method |
| 30 | Abnormal control sera | 1ml - Control sera for serum biochemistry parameters |
| 31 | Electrolyte control sera | 1ml - Control sera for electrolyte |
| 32 | ABG Daily cleaning | (12 vial X15 ml) per kit |
| 33 | Arterial Blood Gas (ABG) Control | 3 ML - Control sera for Sensa ABG Machine |
| 34 | HIV ELISA (1X96 Test Packing Standard Size) | Elisa Kit 4 Gen. (Maharashtra FDA Approved for Blood Bank), CDSCO approved for blood bank for detection of HIV p24 antigen and antibodies to HIV1 and HIV2 |
| 35 | HCV elisa | HCV elisa - 96 test packing size |
| 36 | Hepatitis B Virus (HBs Ag ELISA) Test Kit | Rapid Test Immunochromatography, sensitivity & specificity 99%, |
| 37 | VDRL kits (RPR) syphilis rapid test | This Diagnostics reagent kit is used for detection of antibodies produced in mankind in response to the stimulation by disease known as syphilis. |
| 38 | Anti A 10 ml | Human red blood cells processing anti A antigen will agglutinate in the presence of antibody directed towards the antigen. |
| 39 | Anti B 10 ml | Human red blood cells processing anti B antigen will agglutinate in the presence of antibody directed towards the antigen. |
| 40 | Anti D 10 ml | Agglutination of red blood cell with Anti D (Rho) (IgM) reagent is a positive test result and indicate the presence of D (Rho) Antigen |
| 41 | HIV rapid spot test kits | Rapid Test Immunochromatography, sensitivity & specificity 99%, |
| 42 | HBsAg rapid test | HBsAg rapid test |
| 43 | Dengue rapid test | NS1,IgG,IgM- per test |
| 44 | Cover slip | 22X22 mm (10gm per pack) |
| 45 | Glass tube without rim | 12X100 mm |
| 46 | Swab stick | For the isolation of microorganisms in culture media. |

Instruction and terms and condition regarding Quotation :-

- Interested vendors should submit the quotation as per given format only.
- The quotation and envelope should be addressed to The Dean Shri Bhausaheb Hire government medical college, Dhule.
- Vendors must write quotation reference number and last date of submission the quotation on the envelope.
- Any amendments regarding the quotation will be published on website www.sbhgmcdhule.org <https://www.med-edu.in>
Vendors will not be communicated separately regarding the amendment.
- However if the vendor fails to check any of these amendments on the website then it will be presumed that the vendor has quoted his/her rates by taking the note of these amendments.
- Rate should be quoted single item per piece/kit/pack/ml as per specifications and inclusive of all taxes, GST, etc. and rate must be written in both figure and words.
- Rate should be valid for six months from the date of opening the quotation.
- Rate must be quoted for official Pharmacopoeia standards i.e. IP/ USP only and same to be supplied.
- Delivery period is 24 hrs to 15 (Fifteen Days) days from the receipt of order, as per availability of the items.
- Successful vendors if fails to supply the goods within stipulated delivery period he is liable for the further necessary action, which may be fit.
- Manufacturer's authorization letter is mandatory.

Signature

Signature

Signature
9/1/20



12. Demo sample required to be submitted to shri Bhausaheb hire government medical college, dhule in chemical store as given period as 18/07/2025 at 5:00 pm Office time.

अत्यावश्यक दस्तावेज पडताळणी सुची (Document Checklist)

Packet No 01 :- Technical Document

| Sr. No | Attached documents as per terms and conditions | Document Submitted Yes Or No |
|--------|---|------------------------------|
| 1 | Valid WHO GMP Certificate and WHO GMP product list or COPP for Quoted Items. | |
| 2 | Non Convocation certificate issued from concern FDA for Manufacture/Distributor. | |
| 3 | For Consumables : ISO 13485 (International Organization for Standardization) ISO 17025, ISO 45001, ISO 14001, GMP (Goods Manufacturing Practices) / Schedule M, Quality management System (QMS) for Medical Devices Central Drug standard control Organization (CDSCO) approved MD License. | |
| 4 | FDA drug license | |
| 5 | GST registration Certificate | |
| 6 | PAN card | |
| 7 | Experience (any government Institute supply Order copy) | |
| 8 | Shpo act Licence and MSME Certificate | |
| 9 | Bidder Profile :- Name of Firm , Bank Details, Contact number, Address, Email ID, Cancele Check etc. | |
| 10 | Manufacuters authorization letter is mandatory. | |
| 11 | Demo sample required to be submitted to shri Bhausaheb hire government medical college, dhule in chemical store C as given period as 18/07/2025 at 5:00 pm Office time. Attached Sample Submtion Letter | |
| 12 | In House Test report For Purchased Item (Attach Suppled material) | |
| 13 | National Accreditation Board for testing and calibration Laboratories (NABL test report/ FDA/ Analysisi report supply batch wise compulsory. (Attach Suppled material) | |
| 14 | दरपत्रक मागणी पत्रातील सर्व अटी व शर्ती मान्य असल्याबाबत हमीपत्र | |
| 15 | दरपत्रकात जोडण्यात येणारे कागदपत्रे स्पष्ट व ठळक छायांकीत प्रतीत सादर करण्यात यावी. | |

DEAN,

Shri Bhausaheb Hire Govt.
Medical College, Dhule.

Apurba

15/7/2025

